

AL 600-E - LOMBARDINI 15LD-440 DIESEL 3600 rpm | 60 Hz

**SINGLE PHASE
120 V**

TECHNICALS SPECIFICATIONS




Image for guidance purposes.

Model:

AL 600

Gen set composed of engine and alternator perfectly assembled and fitted in a practical tubular chasis, that is adding great strenght and versatility.

STANDBY POWER:
(LTP "Limited Time Power" norma ISO 8528-1) **6 kVA**

Genset general characteristics

Standby power LTP (kVA)	6
Frequency (Hz)	60
R.p.m.	3600
Voltage (V)	120
(Cos ϕ)	1

ENGINE CHARACTERISTICS

MAKE	MODEL		
LOMBARDINI	15LD-40		
Mechanical effect power (kWm)	7,5	Start	Electric battery
No. cylinders	1	Fuel	Diesel
Displacement (cm ³)	441	Fuel tank capacity (L)	5
Diameter x stroke (mm)	86x76	Fuel consumption 100% (L/h)	2
Compresion ratio	20,3:1	Oil tank capacity (L)	1,5
Cooling system	Air	Oil consumption (kg/h)	0,0048
Series regulator	Mechanical	Battery V/Ah	12/19

AL 600-E - LOMBARDINI 15LD-440 DIESEL 3600 rpm | 60 Hz

**SINGLE PHASE
120 V**

ALTERNATOR CHARACTERISTICS


Voltage (V)	120
Frequency (Hz)	60
R.p.m.	3600
No. poles	2
Protection degree IP	21
Insulation	H

SOCKETS DESCRIPTION:

Depending on the market demand (optional)

DIMENSIONS AND WEIGHT

Lenght (mm)	810
Width (mm)	560
Height (mm)	590
Weight (kg)	114



OPTIONAL

TRANSPORT KIT